




Compal Communications, Inc.		
Title		
BB_ACOUSTIC/VIB		
Size	Document Number	Rev
B	NC2A	0D
Date:	星期三, 一月 04, 2006	Sheet 1 of 17





Compal Communications, Inc.			
Title BB_BAT Connector			
Size B	Document Number		Rev 0D
Date: 星期三, 二月 04, 2006	Sheet 2	of 17	





Compal Communications, Inc.		
Title		
BB_Charging		
Size	Document Number	Rev
B	NC2A	0D
Date:	星期三, 一月 04, 2006	Sheet 4 of 17






For RD test and redownload  
For FACTORY

Compal Communications, Inc.			
Title			
BB_IO CONNECTOR			
Size	Document Number		Rev
B	NC2A		0D
Date:	星期三, 一月 04, 2006	Sheet	6 of 17






Compal Communications, Inc.			
Title			
BB_KEY PAD			
Size	Document Number	Rev	
B	NC2A	0D	
Date:	星期三, 一月 04, 2006	Sheet	8 of 17






<b>Compal Communications, Inc.</b>			
Title <b>BB_KEYPAD LIGHT</b>			
Size <b>B</b>	Document Number <b>NC2A</b>		Rev <b>0D</b>
Date: <b>星期三, 二月 04, 2006</b>	Sheet <b>9</b>	of <b>17</b>	





VBAT << VBAT  
3,4,11,13 VRIO\_2.8V >> VRIO\_2.8V




NM\_LCM\_CONN  
Philips : Pin 2 RES : NC  
Sitronix : Pin 8 RES : NC


Compal Communications, Inc.			
Title			
LCM_ISTN			
Size	Document Number		Rev
B	NC2A		0D
Date:	星期二, 一月 04, 2006	Sheet	10 of 17




Compal Communications, Inc.			
Title			
BB_MELODY/SPK			
Size	Document Number	Rev	
B	NC2A	0D	
Date:	星期三, 一月 04, 2006	Sheet	11 of 17




Compal Communications, Inc.			
Title			
BB_MEMORY (32+4)			
Size	Document Number		Rev
B	NC2A		0D
Date:	星期二, 一月 04, 2006		Sheet 12 of 17





Compal Communication, Inc.			
Title		RF_PA77328	
Size	Document Number	Rev	
B	NC2A	0D	
Date:	星期三, 一月 04, 2006	Sheet	13 of 17
		E	





Compal Communications, Inc.		
Title		
BB_SIM		
Size	Document Number	Rev
B	NC2A	0D
Date:	星期二, 一月 04, 2006	Sheet 15 of 17



For 850/1900, change T/R SW to LMSP43AA-218. It is pin to pin compatible with LMSP43AA-191.

GSM850 & PCS1900 : LF98A and LE72E, The footprint is the same as GSM900 and DCS 1800 SAW filters.

Switch Mode	VC1	VC2
GSM850-TX	0.0~0.1V	2.5~3.0V
PCS-TX	2.5~3.0V	0.0~0.1V
GSM850/PCS-RX	0.0~0.1V	0.0~0.1V